

COVID-19

GP Community Tracker



13th January 2021


McKeogh S, Creane D, Moe K, Ó Ciardha D. Powered by: MEDVAULT

Date range: 15th Dec 2020 to 12th Jan 2021 (last 4 weeks)

Number of cases that met testing criteria, clinically likely COVID-19

Average per respondent


- Met Testing Criteria
- Calls about COVID-19
- Clinically likely Covid19
- Number of survey responses



Number of survey responses received



Daily absolute values



COVID-19

GP Community Tracker



13th January 2021

McKeogh S, Creane D, Moe K, Ó Ciardha D. Powered by: MEDVAULT

Date range: 15th Dec 2020 to 12th Jan 2021 (last 4 weeks)

Number of cases referred for testing (met criteria) - average per respondent

	15/12	16/12	17/12	18/12	21/12	22/12	23/12	24/12	29/12	30/12	31/12	4/1	5/1	6/1	7/1	8/1	11/1	12/1
Carlow	6.5 (✓2)	1.0 (✓2)	2.0 (✓1)	5.5 (✓4)	4.0 (✓3)	3.0 (✓3)			12.0 (✓4)	13.5 (✓4)	7.0 (✓1)	14.7 (✓3)	16.8 (✓4)	9.3 (✓4)	4.5 (✓2)	4.5 (✓2)	6.0 (✓4)	3.6 (✓5)
Cavan	2.0 (✓2)	1.0 (✓2)	1.5 (✓4)	2.0 (✓3)	0.7 (✓3)	3.5 (✓2)	1.0 (✓1)	5.0 (✓1)	5.8 (✓4)	3.0 (✓4)	3.0 (✓4)	4.8 (✓4)	16.0 (✓2)	4.0 (✓3)	1.3 (✓2)	6.0 (✓3)	6.5 (✓4)	1.0 (✓1)
Clare		1.5 (✓4)	0.5 (✓4)	1.3 (✓3)	0.8 (✓4)	0.0 (✓2)	1.0 (✓2)	3.5 (✓2)	14.3 (✓3)	6.0 (✓4)	9.0 (✓2)	6.8 (✓6)	7.8 (✓5)	4.5 (✓4)	3.2 (✓5)	3.6 (✓5)	10.3 (✓2)	2.0 (✓2)
Cork	1.7 (✓22)	1.2 (✓24)	1.7 (✓25)	1.6 (✓20)	2.7 (✓31)	2.9 (✓23)	2.3 (✓26)	3.6 (✓15)	10.6 (✓33)	7.2 (✓25)	5.6 (✓20)	9.4 (✓50)	6.4 (✓32)	6.1 (✓37)	4.1 (✓32)	3.9 (✓35)	5.5 (✓33)	3.2 (✓23)
Donegal	0.5 (✓2)	5.0 (✓2)	5.0 (✓1)	2.0 (✓1)	9.0 (✓1)	1.5 (✓2)	3.5 (✓4)	7.0 (✓2)	8.0 (✓1)	6.0 (✓2)	4.5 (✓2)	6.5 (✓2)	7.0 (✓2)	7.0 (✓2)	7.5 (✓2)	5.4 (✓5)	4.0 (✓2)	4.0 (✓2)
Dublin (all)	1.9 (✓47)	2.0 (✓45)	2.5 (✓53)	2.7 (✓40)	4.3 (✓64)	3.8 (✓53)	4.7 (✓58)	4.0 (✓37)	3.9 (✓52)	9.3 (✓68)	7.4 (✓51)	9.3 (✓83)	10.5 (✓63)	6.8 (✓67)	5.9 (✓77)	6.3 (✓55)	5.8 (✓73)	3.6 (✓62)
Galway	2.1 (✓10)	2.0 (✓6)	1.3 (✓6)	0.6 (✓7)	4.3 (✓8)	4.7 (✓10)	3.2 (✓9)	7.0 (✓8)	5.9 (✓8)	8.4 (✓10)	10.0 (✓6)	10.3 (✓13)	6.7 (✓12)	5.6 (✓7)	6.0 (✓13)	6.5 (✓8)	4.9 (✓14)	3.9 (✓12)
Kerry	0.2 (✓5)	0.5 (✓6)	2.3 (✓2)	4.0 (✓4)	2.8 (✓4)	1.4 (✓8)	3.5 (✓4)	10.2 (✓8)	8.9 (✓5)	2.2 (✓3)	3.7 (✓8)	8.8 (✓8)	2.0 (✓4)	3.8 (✓5)	3.8 (✓5)	3.0 (✓3)	3.8 (✓4)	1.2 (✓6)
Kildare	0.3 (✓3)	0.5 (✓2)	1.3 (✓6)	4.0 (✓3)	2.5 (✓6)	4.2 (✓5)	5.0 (✓2)	5.3 (✓3)	8.6 (✓5)	6.0 (✓3)	8.0 (✓3)	6.8 (✓9)	3.4 (✓5)	5.8 (✓4)	4.0 (✓10)	4.5 (✓4)	4.0 (✓4)	1.5 (✓6)
Kilkenny	2.0 (✓4)	1.3 (✓4)	3.5 (✓4)	2.3 (✓4)	3.3 (✓3)	3.0 (✓4)	7.0 (✓4)	6.0 (✓1)	12.3 (✓4)	4.5 (✓4)	7.5 (✓4)	7.5 (✓2)	7.0 (✓4)	4.5 (✓4)	5.0 (✓6)	3.4 (✓5)	12.5 (✓2)	3.6 (✓3)
Laois	2.3 (✓4)	3.0 (✓2)	1.3 (✓3)	1.0 (✓2)	5.0 (✓3)	2.7 (✓3)	6.0 (✓2)	5.0 (✓2)	11.0 (✓4)	10.0 (✓4)	5.5 (✓5)	8.5 (✓4)	5.7 (✓3)	5.0 (✓4)	6.5 (✓4)	5.8 (✓4)	3.0 (✓1)	3.0 (✓1)
Leitrim		1.0 (✓1)	5.0 (✓1)	0.0 (✓1)	3.0 (✓1)			1.0 (✓1)	6.0 (✓1)	1.0 (✓1)	8.0 (✓1)	8.5 (✓2)	19.0 (✓2)		20.0 (✓1)	7.0 (✓1)	2.0 (✓1)	4.0 (✓1)
Limerick	2.7 (✓12)	1.2 (✓9)	2.6 (✓13)	2.4 (✓10)	5.6 (✓15)	3.2 (✓13)	4.2 (✓11)	5.7 (✓11)	10.2 (✓19)	7.3 (✓20)	9.6 (✓16)	15.7 (✓19)	11.6 (✓15)	6.6 (✓22)	7.1 (✓15)	7.8 (✓12)	6.1 (✓18)	4.2 (✓13)
Longford	2.0 (✓1)			1.0 (✓1)	3.0 (✓1)			3.0 (✓1)			15.0 (✓1)						6.0 (✓1)	
Louth	2.5 (✓2)	1.8 (✓6)	1.0 (✓3)	5.0 (✓1)	4.4 (✓2)	3.0 (✓2)	6.0 (✓3)	3.2 (✓5)	17.0 (✓3)	7.0 (✓6)	8.7 (✓3)	17.6 (✓5)	9.2 (✓7)	5.4 (✓7)	8.1 (✓7)	9.0 (✓4)	14.0 (✓5)	6.0 (✓3)
Mayo	9.0 (✓1)	3.0 (✓5)	1.5 (✓2)	2.0 (✓3)	5.0 (✓5)	5.4 (✓2)	6.0 (✓5)	8.3 (✓2)	7.5 (✓4)	4.3 (✓4)	7.0 (✓3)	9.3 (✓3)	4.5 (✓4)	5.3 (✓4)	5.0 (✓5)	6.3 (✓4)	7.0 (✓2)	4.0 (✓5)
Meath	1.0 (✓3)	1.5 (✓6)	2.7 (✓3)	2.3 (✓3)	3.0 (✓4)	2.8 (✓4)	2.0 (✓5)	8.3 (✓3)	9.4 (✓5)	12.3 (✓9)	5.8 (✓5)	7.5 (✓4)	3.5 (✓8)	4.8 (✓4)	7.5 (✓3)	3.0 (✓4)	4.2 (✓5)	2.8 (✓5)
Monaghan	2.5 (✓2)	3.0 (✓1)	4.0 (✓1)		3.0 (✓2)	2.0 (✓1)		4.0 (✓1)	18.0 (✓1)	8.0 (✓1)	6.0 (✓1)	22.0 (✓1)	13.0 (✓1)	11.0 (✓1)	8.5 (✓1)	16.5 (✓2)	10.0 (✓1)	9.0 (✓2)
Offaly		4.0 (✓2)			3.5 (✓2)		2.0 (✓2)		3.0 (✓2)	11.5 (✓2)	6.3 (✓3)	8.0 (✓3)	4.0 (✓1)	4.0 (✓1)	2.7 (✓3)	3.0 (✓1)	2.3 (✓3)	4.0 (✓2)
Roscommon	1.8 (✓4)			2.0 (✓1)	3.2 (✓2)	2.5 (✓2)	4.0 (✓2)	11.0 (✓1)	5.3 (✓3)	7.0 (✓3)	15.0 (✓2)	6.8 (✓4)	5.7 (✓3)	9.0 (✓3)	7.0 (✓3)	3.0 (✓1)	5.7 (✓3)	2.7 (✓3)
Sligo	1.7 (✓3)	1.0 (✓1)	0.0 (✓1)	1.0 (✓1)	2.5 (✓4)	2.0 (✓3)	2.3 (✓1)	1.0 (✓2)	10.0 (✓2)	6.3 (✓3)	8.5 (✓2)	5.6 (✓5)	4.7 (✓7)	4.5 (✓2)	2.8 (✓4)	2.5 (✓4)	2.8 (✓6)	3.5 (✓4)
Tipperary	1.3 (✓7)	1.3 (✓6)	1.0 (✓1)	0.8 (✓4)	1.8 (✓6)	0.6 (✓7)	3.1 (✓7)	2.3 (✓7)	7.3 (✓12)	5.1 (✓10)	2.7 (✓10)	7.8 (✓10)	4.3 (✓9)	4.6 (✓5)	6.0 (✓10)	5.7 (✓9)	6.1 (✓9)	3.6 (✓5)
Waterford	1.4 (✓5)	0.8 (✓6)	0.0 (✓1)	3.3 (✓3)	0.3 (✓3)	2.7 (✓8)	3.4 (✓5)	2.3 (✓5)	8.7 (✓11)	5.4 (✓10)	5.4 (✓7)	10.0 (✓5)	5.9 (✓11)	4.8 (✓11)	3.6 (✓3)	3.3 (✓3)	1.6 (✓5)	2.4 (✓7)
Westmeath	0.0 (✓1)	0.0 (✓2)	2.5 (✓2)	1.7 (✓3)	8.0 (✓1)		2.0 (✓2)	0.7 (✓1)		16.0 (✓2)	1.0 (✓1)	8.0 (✓1)	3.5 (✓2)	1.0 (✓1)	2.0 (✓1)	1.5 (✓2)	5.0 (✓1)	1.0 (✓1)
Wexford	2.0 (✓5)	1.5 (✓2)	6.6 (✓7)	11.3 (✓7)	12.5 (✓9)	15.6 (✓9)	4.6 (✓5)	5.3 (✓5)	7.5 (✓6)	11.0 (✓4)	25.0 (✓2)	30.8 (✓5)	16.4 (✓8)	13.6 (✓5)	10.4 (✓7)	19.5 (✓4)	19.7 (✓4)	8.4 (✓7)
Wicklow	3.3 (✓7)	2.0 (✓3)	2.4 (✓7)	5.0 (✓5)	2.0 (✓9)	4.7 (✓9)	2.8 (✓5)	5.8 (✓5)	6.5 (✓6)	5.0 (✓6)	5.0 (✓11)	8.1 (✓11)	8.0 (✓5)	4.7 (✓7)	4.3 (✓7)	3.2 (✓6)	7.8 (✓10)	4.8 (✓8)

Avg. Met Testing Criteria 0.0 37.0

Dublin 1			0.0 (✓1)		1.0 (✓1)			2.5 (✓2)	17.0 (✓1)	4.0 (✓1)			12.0 (✓1)		7.0 (✓1)	3.0 (✓1)	13.0 (✓1)	0.0 (✓1)
Dublin 2	1.0 (✓1)	0.0 (✓1)	8.5 (✓2)	4.0 (✓4)	7.8 (✓3)	2.0 (✓2)	2.5 (✓2)		18.0 (✓2)	4.5 (✓2)	10.5 (✓2)	14.3 (✓4)	9.5 (✓2)	4.4 (✓5)	6.6 (✓5)	4.5 (✓2)	3.5 (✓4)	2.4 (✓5)
Dublin 3	1.0 (✓1)	2.0 (✓2)	3.5 (✓2)	0.5 (✓2)	2.0 (✓4)	1.5 (✓2)	3.5 (✓2)	2.0 (✓3)	5.0 (✓2)	3.0 (✓2)	5.5 (✓2)	7.0 (✓4)	5.7 (✓3)	9.0 (✓4)	8.5 (✓4)	2.0 (✓2)	7.5 (✓2)	3.5 (✓2)
Dublin 4	1.5 (✓4)	2.0 (✓2)	2.0 (✓2)	2.0 (✓5)	4.6 (✓1)	1.0 (✓3)	4.0 (✓3)	4.0 (✓1)	10.0 (✓1)	9.0 (✓3)	8.0 (✓2)	9.6 (✓8)	4.9 (✓7)	13.0 (✓2)	3.4 (✓5)	8.7 (✓3)	5.7 (✓3)	2.5 (✓4)
Dublin 5	1.0 (✓2)	1.8 (✓4)	0.3 (✓3)		1.0 (✓2)	1.7 (✓3)	2.0 (✓3)	1.7 (✓3)	2.7 (✓3)	8.0 (✓2)	7.3 (✓2)	12.5 (✓4)	11.0 (✓2)	4.0 (✓3)	4.5 (✓2)	3.5 (✓2)	4.0 (✓3)	2.0 (✓3)
Dublin 6	1.0 (✓2)	0.0 (✓3)	0.3 (✓3)	2.3 (✓3)	1.7 (✓3)	2.5 (✓2)	4.0 (✓2)	2.0 (✓2)	14.0 (✓1)	2.5 (✓1)	6.0 (✓1)	3.0 (✓1)	11.0 (✓2)	1.3 (✓4)	2.8 (✓4)	2.5 (✓2)	5.0 (✓1)	
Dublin 6W		2.0 (✓4)	6.0 (✓2)				10.0 (✓3)			11.7 (✓2)	16.0 (✓1)			7.5 (✓2)	0.0 (✓2)		6.0 (✓2)	
Dublin 7	3.3 (✓4)	0.0 (✓2)	3.7 (✓3)	0.0 (✓1)	3.0 (✓3)	3.3 (✓3)	7.0 (✓1)		5.7 (✓3)	4.5 (✓2)	8.3 (✓3)	8.8 (✓4)	5.8 (✓4)	9.5 (✓5)	7.0 (✓5)	5.8 (✓4)	7.3 (✓3)	1.5 (✓2)
Dublin 8	2.0 (✓3)	0.0 (✓3)	2.0 (✓1)	2.0 (✓2)	3.5 (✓2)	3.0 (✓3)	1.0 (✓1)	8.0 (✓3)	9.7 (✓3)	4.0 (✓4)	4.5 (✓2)	5.6 (✓5)	5.7 (✓3)	3.0 (✓3)	7.0 (✓4)	4.8 (✓4)	4.0 (✓2)	1.0 (✓2)
Dublin 9	2.0 (✓1)	1.0 (✓2)	2.0 (✓3)	7.5 (✓2)			3.0 (✓2)	3.0 (✓1)	4.0 (✓2)	7.0 (✓1)	7.7 (✓3)	4.3 (✓4)	0.0 (✓3)	4.0 (✓3)	7.3 (✓4)	9.0 (✓2)	5.5 (✓2)	1.5 (✓2)
Dublin 10	1.0 (✓1)	2.0 (✓1)	2.0 (✓1)	1.0 (✓1)		6.0 (✓1)	2.0 (✓1)		8.0 (✓1)	9.7 (✓3)	4.0 (✓1)	19.5 (✓4)	11.0 (✓3)	9.5 (✓4)	12.5 (✓4)	6.0 (✓3)	11.3 (✓4)	8.3 (✓3)
Dublin 11										25.0 (✓1)	19.5 (✓2)	37.0 (✓1)	15.0 (✓1)		20.5 (✓2)	11.5 (✓2)		3.0 (✓1)
Dublin 12	3.0 (✓3)	3.0 (✓2)	3.5 (✓4)	4.0 (✓5)	4.0 (✓4)	3.2 (✓5)	3.5 (✓2)	4.0 (✓2)	20.3 (✓3)	11.3 (✓6)	17.5 (✓4)	25.0 (✓4)	11.8 (✓4)	8.8 (✓5)	9.0 (✓4)	6.8 (✓4)	9.8 (✓4)	6.8 (✓4)
Dublin 13	1.0 (✓2)	1.0 (✓1)		3.0 (✓2)	5.5 (✓7)	2.0 (✓1)	7.0 (✓1)		9.5 (✓2)			2.0 (✓1)		7.0 (✓2)	2.0 (✓1)	16.0 (✓1)	3.0 (✓1)	3.0 (✓2)
Dublin 14	3.5 (✓2)	1.7 (✓3)	2.5 (✓2)		6.6 (✓4)	4.0 (✓4)	4.0 (✓6)	5.5 (✓1)	12.0 (✓7)	7.0 (✓8)	7.7 (✓3)	11.2 (✓5)	7.2 (✓5)	6.0 (✓4)	6.0 (✓4)	5.5 (✓2)	4.3 (✓6)	3.3 (✓4)
Dublin 15		1.0 (✓1)	1.0 (✓3)	3.0 (✓2)	2.7 (✓3)	4.0 (✓1)	2.8 (✓5)	3.0 (✓1)	11.5 (✓2)	4.0 (✓2)	2.0 (✓4)	12.8 (✓4)	6.0 (✓1)	3.3 (✓3)	4.0 (✓1)	3.7 (✓3)	5.4 (✓5)	2.0 (✓1)
Dublin 16	2.0 (✓1)	5.0 (✓1)		4.0 (✓1)	6.0 (✓1)		2.0 (✓1)	1.0 (✓1)		6.0 (✓1)	5.0 (✓1)	13.0 (✓2)		7.7 (✓3)	7.0 (✓1)	5.0 (✓2)	10.5 (✓2)	
Dublin 18	3.5 (✓2)	0.0 (✓1)	2.3 (✓3)		1.0 (✓1)	2.0 (✓1)	6.7 (✓3)		7.0 (✓1)	11.0 (✓2)	1.0 (✓1)	7.3 (✓4)	1.0 (✓1)	2.5 (✓2)	5.0 (✓2)	3.0 (✓1)	8.0 (✓1)	4.0 (✓1)
Dublin 20			2.0 (✓1)	1.0 (✓1)	10.0 (✓1)	9.0 (✓1)												
Dublin 22	1.5 (✓2)		2.5 (✓2)	3.0 (✓1)	0.0 (✓1)	13.0 (✓2)	6.0 (✓1)	2.0 (✓3)	5.3 (✓3)	9.7 (✓3)	30.0 (✓1)	19.5 (✓2)	12.0 (✓4)	18.0 (✓4)	15.0 (✓2)	13.0 (✓1)	4.7 (✓3)	3.2 (✓5)
Dublin 24																		