


COVID-19

GP Community Tracker

21st July 2021


McKeogh S, Creane D, Moe K, Ó Ciardha D. Powered by: 

Date range: 22nd June to 20th July 2021 (last 4 weeks)


Number of cases that met testing criteria, clinically likely COVID-19

Average per respondent


■ Met Testing Criteria
■ Clinically likely Covid19
■ Calls about COVID-19
■ Number of survey responses



Number of survey responses received



Daily absolute values



COVID-19

GP Community Tracker



21st July 2021

McKeogh S, Creane D, Moe K, Ó Ciardha D. Powered by: MEDVAULT

Date range: 22nd June to 20th July 2021 (last 4 weeks)

Number of cases referred for testing (met criteria) - average per respondent

Legend

Avg. Met Testing Criteria
0.0 12.0

1.0 = average number of cases referred for testing (met criteria) - average per respondent

✓ = number of surveys responses

Blank cells indicate no survey response on that date

	22/6	23/6	24/6	25/6	28/6	29/6	30/6	1/7	2/7	5/7	6/7	7/7	8/7	9/7	12/7	13/7	14/7	15/7	16/7	19/7	20/7
Carlow		1.0 (✓2)	0.0 (✓1)	4.0 (✓1)	1.0 (✓1)	0.0 (✓1)	2.0 (✓1)	0.0 (✓1)	1.0 (✓1)	1.5 (✓2)	1.0 (✓1)	1.0 (✓2)	0.0 (✓1)	1.0 (✓2)	0.3 (✓3)	0.5 (✓2)	1.3 (✓3)	1.0 (✓3)	0.0 (✓2)	1.7 (✓3)	2.0 (✓2)
Cavan								2.0 (✓1)	0.0 (✓1)									5.0 (✓1)			0.0 (✓1)
Clare		0.0 (✓1)	0.0 (✓1)					0.0 (✓1)		2.0 (✓1)	1.5 (✓2)	2.0 (✓1)	0.0 (✓1)	0.0 (✓1)	1.0 (✓2)	2.0 (✓1)	1.7 (✓3)		1.0 (✓2)	1.5 (✓2)	0.5 (✓2)
Cork	0.4 (✓5)	1.1 (✓13)	0.5 (✓13)	0.8 (✓9)	0.8 (✓18)	0.3 (✓11)	1.5 (✓13)	0.6 (✓8)	0.8 (✓13)	0.3 (✓10)	1.4 (✓13)	0.5 (✓10)	0.5 (✓10)	0.8 (✓10)	1.3 (✓12)	0.4 (✓12)	0.8 (✓18)	1.9 (✓13)	1.1 (✓13)	2.5 (✓13)	0.4 (✓9)
Donegal							4.0 (✓1)			3.0 (✓1)				1.0 (✓1)	0.0 (✓1)						2.0 (✓1)
Dublin (all)	0.9 (✓19)	1.4 (✓15)	2.0 (✓17)	0.3 (✓12)	1.3 (✓22)	1.4 (✓27)	1.5 (✓21)	2.0 (✓21)	1.8 (✓21)	1.5 (✓23)	0.9 (✓24)	1.4 (✓25)	1.8 (✓20)	1.2 (✓18)	2.0 (✓24)	1.2 (✓25)	1.2 (✓24)	1.6 (✓26)	2.0 (✓21)	2.0 (✓26)	1.5 (✓24)
Galway	1.0 (✓2)	1.0 (✓2)	1.0 (✓1)	2.3 (✓2)	0.3 (✓8)	0.8 (✓4)	0.8 (✓4)	0.3 (✓1)	0.3 (✓1)	7.0 (✓3)	6.0 (✓4)	0.0 (✓2)			1.5 (✓4)	3.0 (✓2)	2.0 (✓2)	1.5 (✓1)	1.0 (✓1)	1.7 (✓6)	3.0 (✓2)
Kerry	1.0 (✓4)	0.7 (✓3)	2.5 (✓2)	2.0 (✓2)	2.0 (✓4)	1.3 (✓4)	0.0 (✓1)	0.3 (✓1)	2.0 (✓1)	1.7 (✓3)	0.7 (✓3)	0.0 (✓1)		1.0 (✓1)	0.0 (✓2)	0.3 (✓3)	1.7 (✓1)	0.0 (✓2)		2.0 (✓5)	2.5 (✓4)
Kildare	0.3 (✓3)	0.0 (✓2)	1.5 (✓4)	0.5 (✓4)	1.6 (✓5)	2.3 (✓4)	1.0 (✓3)	0.3 (✓1)	1.5 (✓2)	1.5 (✓4)	0.0 (✓1)	0.0 (✓1)		3.0 (✓1)	1.5 (✓2)	1.0 (✓3)	1.3 (✓2)	1.0 (✓2)	0.5 (✓2)	1.5 (✓2)	1.0 (✓2)
Kilkenny	1.0 (✓1)	1.0 (✓2)	0.5 (✓2)	0.0 (✓1)	1.0 (✓2)	2.0 (✓1)	0.0 (✓1)	1.5 (✓2)	1.5 (✓2)		0.0 (✓1)	2.0 (✓1)			0.5 (✓2)		0.5 (✓2)	0.0 (✓1)			0.0 (✓2)
Laois	1.7 (✓3)	0.0 (✓2)	0.0 (✓2)	0.5 (✓2)	2.0 (✓2)	1.7 (✓3)	0.7 (✓3)	0.0 (✓1)	5.0 (✓1)	0.5 (✓2)	3.0 (✓2)	4.0 (✓2)	5.0 (✓1)				0.0 (✓3)	0.7 (✓3)	2.0 (✓2)	2.5 (✓4)	1.5 (✓2)
Leitrim		0.0 (✓1)			0.0 (✓1)			1.0 (✓1)	5.0 (✓1)	1.0 (✓1)	0.0 (✓1)	1.0 (✓1)				0.0 (✓1)	5.0 (✓1)		8.0 (✓1)	5.0 (✓1)	
Limerick	0.2 (✓5)	0.8 (✓5)	1.0 (✓3)	1.3 (✓3)	2.0 (✓6)	1.1 (✓9)	0.8 (✓5)	1.3 (✓4)	1.2 (✓6)	1.6 (✓4)	0.0 (✓5)	0.0 (✓3)	1.0 (✓2)	1.1 (✓7)	1.2 (✓5)	0.4 (✓5)	0.2 (✓5)	0.8 (✓4)	0.7 (✓3)	1.2 (✓5)	1.0 (✓5)
Longford		1.0 (✓1)			0.0 (✓1)	1.0 (✓1)		1.0 (✓1)		0.0 (✓1)					2.0 (✓1)	3.0 (✓1)		3.0 (✓1)		4.0 (✓1)	
Louth		2.3 (✓3)	1.5 (✓2)				1.5 (✓2)	2.5 (✓2)	3.0 (✓1)				1.0 (✓1)	2.0 (✓1)	0.0 (✓1)	1.0 (✓1)	1.0 (✓1)	2.5 (✓1)	1.0 (✓1)	2.0 (✓1)	0.0 (✓1)
Mayo		0.0 (✓1)			0.0 (✓1)	2.0 (✓1)		2.0 (✓1)					0.0 (✓1)	0.5 (✓2)				0.0 (✓1)			0.0 (✓1)
Meath		2.0 (✓1)				1.0 (✓1)	12.0 (✓1)	4.0 (✓1)	2.3 (✓3)		4.0 (✓1)			1.0 (✓1)	4.0 (✓1)						
Monaghan	3.0 (✓1)	1.0 (✓1)	1.0 (✓1)	0.0 (✓1)	3.0 (✓1)	0.0 (✓1)	0.0 (✓1)	0.0 (✓1)	0.0 (✓1)	2.0 (✓1)	1.0 (✓1)	0.0 (✓1)	0.0 (✓1)	0.0 (✓1)	4.5 (✓2)	1.0 (✓1)	1.0 (✓1)	1.0 (✓1)	0.0 (✓1)	2.0 (✓1)	2.0 (✓1)
Offaly				1.0 (✓1)		1.5 (✓2)	2.0 (✓1)	1.0 (✓1)	0.0 (✓2)		1.0 (✓3)	1.7 (✓3)	2.0 (✓1)	1.0 (✓1)	0.0 (✓1)	2.0 (✓3)	1.5 (✓2)		1.0 (✓1)	0.0 (✓1)	2.0 (✓1)
Roscommon					1.0 (✓1)			0.0 (✓1)						5.0 (✓1)	2.0 (✓1)	0.0 (✓1)	1.5 (✓1)		2.0 (✓1)	0.0 (✓1)	
Sligo	0.0 (✓1)			1.0 (✓1)					1.0 (✓2)									2.0 (✓1)	0.0 (✓1)	0.0 (✓1)	
Tipperary	1.5 (✓4)	0.7 (✓3)	1.3 (✓3)	0.7 (✓3)	2.0 (✓6)	1.3 (✓4)	0.8 (✓4)	0.0 (✓1)	0.8 (✓4)	1.2 (✓6)	2.0 (✓3)	0.5 (✓3)	1.0 (✓2)	0.3 (✓3)	1.2 (✓5)	1.2 (✓6)	1.0 (✓4)	0.0 (✓2)	0.0 (✓2)	0.8 (✓4)	0.8 (✓5)
Waterford	9.0 (✓1)	2.3 (✓4)	1.5 (✓2)	2.0 (✓1)	1.3 (✓4)	1.5 (✓8)	0.7 (✓8)	0.8 (✓5)	0.5 (✓2)	0.7 (✓3)	1.0 (✓3)	2.7 (✓3)	0.5 (✓4)	0.5 (✓4)	0.8 (✓4)	1.0 (✓2)	0.9 (✓7)	0.5 (✓6)	0.0 (✓2)	1.7 (✓3)	0.5 (✓6)
Westmeath	1.0 (✓1)		0.0 (✓1)														0.0 (✓1)	0.5 (✓1)	1.0 (✓1)		0.0 (✓1)
Wexford	0.0 (✓4)	1.0 (✓2)	0.5 (✓2)	0.0 (✓3)	0.0 (✓1)	0.5 (✓2)	0.0 (✓1)	0.3 (✓1)	1.2 (✓5)	2.3 (✓4)	0.0 (✓2)		0.7 (✓3)	1.0 (✓1)	1.0 (✓4)	0.0 (✓2)		2.7 (✓1)	2.0 (✓1)	1.7 (✓3)	0.5 (✓2)
Wicklow	0.5 (✓2)	1.5 (✓2)	1.0 (✓1)	2.0 (✓1)	1.5 (✓2)	0.0 (✓1)	1.5 (✓2)	2.0 (✓1)	1.0 (✓1)		3.0 (✓2)	0.0 (✓1)	2.7 (✓3)	4.0 (✓2)	0.8 (✓4)	0.0 (✓2)	0.5 (✓2)	2.3 (✓3)	5.5 (✓2)	1.0 (✓3)	3.0 (✓2)

Avg. Met Testing Criteria
0.0 8.0

Dublin 1							0.0 (✓1)		0.0 (✓1)					1.0 (✓1)			1.0 (✓1)				
Dublin 2							0.0 (✓1)		0.0 (✓1)	1.0 (✓1)				1.0 (✓2)			0.0 (✓1)	0.0 (✓1)	2.5 (✓2)	0.0 (✓1)	1.0 (✓2)
Dublin 3	1.0 (✓1)	0.0 (✓1)				1.0 (✓1)	2.5 (✓2)	2.5 (✓2)			1.0 (✓2)	1.5 (✓2)	2.5 (✓2)	0.0 (✓1)	4.7 (✓3)	1.0 (✓1)	0.0 (✓1)		1.0 (✓1)	5.0 (✓2)	1.0 (✓1)
Dublin 4									0.3 (✓4)	1.0 (✓1)			2.0 (✓1)		2.0 (✓2)	0.0 (✓1)		0.0 (✓1)	0.5 (✓1)	0.5 (✓2)	3.0 (✓1)
Dublin 5	0.0 (✓1)	0.0 (✓1)	0.0 (✓1)	1.0 (✓1)		0.0 (✓1)		1.0 (✓2)	4.0 (✓2)	0.0 (✓1)	0.0 (✓1)	0.0 (✓1)	1.0 (✓2)	1.0 (✓1)		1.0 (✓1)	1.5 (✓2)	2.0 (✓2)		0.0 (✓1)	0.0 (✓1)
Dublin 6	0.0 (✓1)	0.0 (✓1)	0.5 (✓1)		1.0 (✓1)	0.0 (✓1)	0.8 (✓4)	1.3 (✓3)	0.0 (✓1)	0.0 (✓2)	0.0 (✓2)	1.0 (✓4)	2.0 (✓3)	0.3 (✓3)		1.0 (✓1)	0.7 (✓3)	0.3 (✓3)	2.0 (✓1)	0.5 (✓2)	0.5 (✓2)
Dublin 7	1.0 (✓1)		1.0 (✓1)	0.0 (✓1)	2.0 (✓1)	2.7 (✓1)		1.0 (✓1)	0.0 (✓1)		0.0 (✓1)	2.0 (✓1)		0.0 (✓1)	1.0 (✓2)	2.0 (✓1)			3.0 (✓1)	0.0 (✓1)	
Dublin 8	0.0 (✓1)	1.5 (✓1)		0.0 (✓1)	0.0 (✓1)	2.0 (✓1)	4.0 (✓1)		2.5 (✓2)		0.0 (✓1)	1.0 (✓1)	4.0 (✓1)	2.0 (✓1)		0.0 (✓1)		3.0 (✓1)	2.0 (✓1)	0.0 (✓1)	1.0 (✓2)
Dublin 9	3.0 (✓1)	2.0 (✓1)	2.0 (✓1)		1.0 (✓1)	0.0 (✓1)	0.0 (✓1)	3.0 (✓1)	1.0 (✓1)	7.0 (✓1)	1.0 (✓2)	2.0 (✓1)					0.0 (✓1)	0.0 (✓1)	1.0 (✓2)	5.0 (✓1)	2.0 (✓1)
Dublin 10	3.0 (✓1)	2.0 (✓1)							5.0 (✓1)												3.0 (✓1)
Dublin 11							3.0 (✓1)			0.0 (✓1)											
Dublin 12	2.0 (✓2)	6.0 (✓1)	5.0 (✓2)	0.0 (✓1)	2.3 (✓3)	3.7 (✓3)	6.0 (✓1)	4.0 (✓2)	2.5 (✓2)	5.0 (✓2)	2.3 (✓3)	8.0 (✓1)	6.0 (✓1)	2.5 (✓2)	5.5 (✓2)	4.0 (✓2)		4.5 (✓2)	4.0 (✓2)	5.0 (✓2)	2.3 (✓3)
Dublin 13					0.0 (✓1)				3.0 (✓1)		3.0 (✓1)				1.0 (✓1)			0.0 (✓1)	6.0 (✓1)		
Dublin 14	0.5 (✓2)	1.5 (✓2)		0.0 (✓1)	1.0 (✓1)	0.0 (✓2)	0.0 (✓1)		2.0 (✓1)	0.0 (✓1)		1.5 (✓2)		2.0 (✓1)	1.5 (✓2)	1.5 (✓2)	1.0 (✓2)	2.0 (✓1)	0.0 (✓1)	5.0 (✓2)	
Dublin 15	0.0 (✓1)	1.0 (✓1)	0.0 (✓1)	0.0 (✓1)	1.0 (✓2)	1.7 (✓3)	3.0 (✓2)				0.0 (✓1)		0.0 (✓2)	1.0 (✓1)	0.0 (✓1)		1.0 (✓4)	0.0 (✓1)	1.0 (✓1)	0.0 (✓1)	
Dublin 16								2.0 (✓1)	2.0 (✓1)		2.0 (✓1)		3.0 (✓1)						3.0 (✓1)	3.0 (✓2)	
Dublin 18	0.0 (✓1)					0.0 (✓1)			0.0 (✓1)	0.0 (✓1)	0.0 (✓2)	0.0 (✓2)			1.0 (✓1)		2.0 (✓2)	1.0 (✓1)	1.0 (✓1)	1.0 (✓2)	1.0 (✓2)
Dublin 22															1.0 (✓1)						
Dublin 24	1.0 (✓1)	3.0 (✓1)	0.0 (✓1)	1.0 (✓2)	1.0 (✓1)	1.0 (✓2)	1.3 (✓3)	1.0 (✓2)	1.3 (✓3)	1.0 (✓2)			1.7 (✓3)	0.7 (✓3)	1.5 (✓2)	1.0 (✓2)	1.2 (✓5)	1.5 (✓2)	1.5 (✓2)	0.0 (✓1)	2.0 (✓1)
Co Dublin - North	0.5 (✓2)	0.0 (✓2)	5.5 (✓2)	0.0 (✓2)	2.8 (✓4)	0.7 (✓3)	1.0 (✓2)	2.0 (✓1)	1.0 (✓1)	2.5 (✓5)	0.8 (✓3)	1.3 (✓3)		0.5 (✓2)	3.0 (✓1)	1.0 (✓4)	2.0 (✓4)	1.0 (✓4)	0.0 (✓2)	1.3 (✓3)	1.3 (✓3)
Co Dublin - South	0.7 (✓3)	1.0 (✓1)	2.0 (✓1)	0.0 (✓1)	0.7 (✓3)	0.5 (✓4)	1.0 (✓2)	2.6 (✓5)	1.0 (✓2)	2.0 (✓2)	0.7 (✓3)	0.0 (✓2)	1.5 (✓4)	1.5 (✓3)	1.3 (✓3)	0.5 (✓2)	1.0 (✓2)	2.7 (✓3)	2.5 (✓2)	1.3 (✓3)	2.3 (✓4)